

842 Nonconformance Report

Functional Group ID=**NC**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Nonconformance Report Transaction Set (842) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to report products and processes that do not fulfill specifications or requirements. The Nonconformance Report Transaction Set provides the ability for the sender to report the nonconformance at the level of detail that is required. It also provides the ability to report the specific nonconformances of a component/part while identifying the assembly as the product that is in nonconformance. The Nonconformance Report Transaction Set may be used to report, initiate, or request actions related to the nonconformance being reported. Financial and accounting information is provided for reporting purposes only. The Nonconformance Report Transaction Set has the capability to report the cause of the nonconformance and to state the proposed action to be followed to prevent a repetition of the problem.

Notes:

1. Use a single occurrence of this transaction set to transmit single complaint transaction to a single or multiple organizations.

2. DOD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: <http://www.dla.mil/j-6/dlmso>. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

Heading:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
5	0100	ST	Transaction Set Header	M	1		
6	0200	BNR	Beginning Segment For Nonconformance Report	M	1		
Not Used	0300	REF	Reference Identification	O	>1		
Not Used	0400	DTM	Date/Time Reference	O	>1		
Not Used	0500	PID	Product/Item Description	O	>1		
						LOOP ID - MEA	>1
Not Used	0600	MEA	Measurements	O	1		
Not Used	0700	DTM	Date/Time Reference	O	>1		
Not Used	0800	REF	Reference Identification	O	>1		
						LOOP ID - PWK	>1
Not Used	0900	PWK	Paperwork	O	1		
Not Used	1000	REF	Reference Identification	O	>1		
Not Used	1100	DTM	Date/Time Reference	O	>1		

842A Discrepancy Report

LOOP ID - N1			>1		
8	1200	N1	Name	O	1
Not Used	1300	N2	Additional Name Information	O	2
Not Used	1400	N3	Address Information	O	2
Not Used	1500	N4	Geographic Location	O	1
Not Used	1600	REF	Reference Identification	O	>1
Not Used	1700	PER	Administrative Communications Contact	O	>1

Detail:

Page No.	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
LOOP ID - HL			>1				
9	0100	HL	Hierarchical Level	M	1		n1
10	0200	LIN	Item Identification	O	1		
Not Used	0300	PID	Product/Item Description	O	>1		
Not Used	0400	PRS	Part Release Status	O	>1		
Not Used	0500	CID	Characteristic/Class ID	O	>1		
13	0600	DTM	Date/Time Reference	O	>1		
14	0700	REF	Reference Identification	O	>1		
16	0750	CS	Contract Summary	O	1		
Not Used	0800	QTY	Quantity	O	>1		
Not Used	0900	TMD	Test Method	O	1		
Not Used	1000	PSD	Physical Sample Description	O	1		
18	1020	PWK	Paperwork	O	>1		
LOOP ID - LM			>1				
20	1040	LM	Code Source Information	O	1		
21	1050	LQ	Industry Code	M	>1		
LOOP ID - MEA			>1				
Not Used	1100	MEA	Measurements	O	1		
Not Used	1200	DTM	Date/Time Reference	O	>1		
Not Used	1300	REF	Reference Identification	O	>1		
LOOP ID - FA1			>1				
Not Used	1350	FA1	Type of Financial Accounting Data	O	1		
Not Used	1360	FA2	Accounting Data	M	>1		
LOOP ID - SPS			>1				
Not Used	1400	SPS	Sampling Parameters for Summary Statistics	O	1		
Not Used	1500	REF	Reference Identification	O	>1		
Not Used	1600	PSD	Physical Sample Description	O	1		
LOOP ID - MEA			>1				
Not Used	1700	MEA	Measurements	O	1		
Not Used	1800	DTM	Date/Time Reference	O	>1		
Not Used	1900	REF	Reference Identification	O	>1		
LOOP ID - STA			>1				
Not Used	2000	STA	Statistics	O	1		
Not Used	2100	DTM	Date/Time Reference	O	>1		

842A Discrepancy Report

Not Used	2200	REF	Reference Identification	O	>1
			LOOP ID - NCD	>1	
22	2300	NCD	Nonconformance Description	O	1
23	2400	NTE	Note/Special Instruction	O	>1
Not Used	2500	DTM	Date/Time Reference	O	>1
24	2600	REF	Reference Identification	O	>1
26	2700	QTY	Quantity	O	>1
28	2730	AMT	Monetary Amount	O	>1
Not Used	2740	MEA	Measurements	O	>1
Not Used	2750	RC	Root Cause	O	>1
			LOOP ID - EFI	>1	
Not Used	2760	EFI	Electronic Format Identification	O	1
Not Used	2770	BIN	Binary Data	M	1
			LOOP ID - N1	>1	
29	2800	N1	Name	O	1
30	2900	N2	Additional Name Information	O	2
31	3000	N3	Address Information	O	2
32	3100	N4	Geographic Location	O	1
Not Used	3200	REF	Reference Identification	O	>1
33	3300	PER	Administrative Communications Contact	O	>1
			LOOP ID - LM	>1	
35	3330	LM	Code Source Information	O	1
36	3340	LQ	Industry Code	M	>1
			LOOP ID - NCA	>1	
37	3400	NCA	Nonconformance Action	O	1
39	3500	NTE	Note/Special Instruction	O	>1
Not Used	3600	DTM	Date/Time Reference	O	>1
40	3700	REF	Reference Identification	O	>1
			LOOP ID - PWK	>1	
Not Used	3800	PWK	Paperwork	O	1
Not Used	3900	REF	Reference Identification	O	>1
Not Used	4000	DTM	Date/Time Reference	O	>1
			LOOP ID - N1	>1	
Not Used	4100	N1	Name	O	1
Not Used	4200	N2	Additional Name Information	O	2
Not Used	4300	N3	Address Information	O	2
Not Used	4400	N4	Geographic Location	O	1
Not Used	4500	REF	Reference Identification	O	>1
Not Used	4600	PER	Administrative Communications Contact	O	>1
			LOOP ID - LM	>1	
42	4640	LM	Code Source Information	O	1
43	4650	LQ	Industry Code	M	>1
			LOOP ID - FA1	>1	
Not Used	4660	FA1	Type of Financial Accounting Data	O	1
Not Used	4670	FA2	Accounting Data	M	>1

Segment: **ST** Transaction Set Header
Position: 0100
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes:

- 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2 The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

Data Element Summary

Ref.	Data Des.	Element	Name	Attributes		
M	ST01	143	Transaction Set Identifier Code	M	1	ID 3/3
			Code uniquely identifying a Transaction Set 842 Nonconformance Report			
M	ST02	329	Transaction Set Control Number	M	1	AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>A unique number assigned by the originator of the transaction set, or the originator's application program.</i>			
	ST03	1705	Implementation Convention Reference	O	1	AN 1/35
			Reference assigned to identify Implementation Convention			

Segment: **BNR** Beginning Segment For Nonconformance Report
Position: 0200
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a Nonconformance Report Transaction Set
Syntax Notes:
Semantic Notes:

- 1 BNR02 is the nonconformance report identifier number.
- 2 BNR03 is the date that the nonconformance report was created.
- 3 BNR04 is the time that the nonconformance report was created.

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element Name</u>	
M	BNR01	353 Transaction Set Purpose Code	M 1 ID 2/2
		Code identifying purpose of transaction set	
		00 Original	
		01 Cancellation	
		13 Request	
		45 Follow-up	
		50 Register	
		CO Corrected	
M	BNR02	127 Reference Identification	M 1 AN 1/50
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
M	BNR03	373 Date	M 1 DT 8/8
		Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year	
		<i>This date corresponds to the Universal Time Coordinate (UTC).</i>	
Must Use	BNR04	337 Time	O 1 TM 4/8
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
		<i>1. Express the originating activity's time in Universal Time Coordinate (UTC).</i>	
		<i>2. Express time in a four-position (HHMM) format.</i>	
Not Used	BNR05	886 Nonconformance Report Status Code	O 1 ID 2/2
		Code identifying the status of the nonconformance report	
	BNR06	640 Transaction Type Code	O 1 ID 2/2

Code specifying the type of transaction

C1	Claim Information
SD	Supply Process Deficiency
SR	Supply Process Deficiency Response

Segment: **N1** Name
Position: 1200
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Notes: *Must use to identify the organizations sending and receiving the transaction set.*

Data Element Summary

Ref.	Data	Attributes	
<u>Des.</u>	<u>Element</u> <u>Name</u>		
M	N101 98 Entity Identifier Code	M	1 ID 2/3
	Code identifying an organizational entity, a physical location, property or an individual <i>Use any code.</i> Refer to 004030 Data Element Dictionary for acceptable code values.		
	N102 93 Name	X	1 AN 1/60
	Free-form name		
	N103 66 Identification Code Qualifier	X	1 ID 1/2
	Code designating the system/method of code structure used for Identification Code (67) M4 Department of Defense Routing Identifier Code (RIC)		
	N104 67 Identification Code	X	1 AN 2/80
	Code identifying a party or other code		
Not Used	N105 706 Entity Relationship Code	O	1 ID 2/2
	Code describing entity relationship		
	N106 98 Entity Identifier Code	O	1 ID 2/3
	Code identifying an organizational entity, a physical location, property or an individual Refer to 004030 Data Element Dictionary for acceptable code values.		

Segment: **HL** Hierarchical Level
Position: 0100
Loop: HL Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Syntax Notes:
Semantic Notes:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element Name</u>	
M	HL01	628 Hierarchical ID Number	M 1 AN 1/12
		A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	
Not Used	HL02	734 Hierarchical Parent ID Number	O 1 AN 1/12
		Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	
M	HL03	735 Hierarchical Level Code	M 1 ID 1/2
		Code defining the characteristic of a level in a hierarchical structure	
		RP Report	
Not Used	HL04	736 Hierarchical Child Code	O 1 ID 1/1
		Code indicating if there are hierarchical child data segments subordinate to the level being described	

Segment: **LIN** **Item Identification**
Position: 0200
Loop: HL Mandatory
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify basic item identification data
Syntax Notes: 1 If either LIN04 or LIN05 is present, then the other is required.
 2 If either LIN06 or LIN07 is present, then the other is required.
 3 If either LIN08 or LIN09 is present, then the other is required.
 4 If either LIN10 or LIN11 is present, then the other is required.
 5 If either LIN12 or LIN13 is present, then the other is required.
 6 If either LIN14 or LIN15 is present, then the other is required.
 7 If either LIN16 or LIN17 is present, then the other is required.
 8 If either LIN18 or LIN19 is present, then the other is required.
 9 If either LIN20 or LIN21 is present, then the other is required.
 10 If either LIN22 or LIN23 is present, then the other is required.
 11 If either LIN24 or LIN25 is present, then the other is required.
 12 If either LIN26 or LIN27 is present, then the other is required.
 13 If either LIN28 or LIN29 is present, then the other is required.
 14 If either LIN30 or LIN31 is present, then the other is required.
Semantic Notes: 1 LIN01 is the line item identification

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element Name</u>	
Not Used	LIN01	350 Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O 1 AN 1/20
M	LIN02	235 Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) <i>Use for material identification</i> FS National Stock Number MG Manufacturer's Part Number SW Stock Number	M 1 ID 2/2
M	LIN03	234 Product/Service ID Identifying number for a product or service	M 1 AN 1/48
	LIN04	235 Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) CN Commodity Name ZB Commercial and Government Entity (CAGE) Code	X 1 ID 2/2

842A Discrepancy Report

	LIN05	234	Product/Service ID Identifying number for a product or service	X	1	AN 1/48
	LIN06	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) CN Commodity Name	X	1	ID 2/2
	LIN07	234	Product/Service ID Identifying number for a product or service	X	1	AN 1/48
Not Used	LIN08	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	1	ID 2/2
Not Used	LIN09	234	Product/Service ID Identifying number for a product or service	X	1	AN 1/48
Not Used	LIN10	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	1	ID 2/2
Not Used	LIN11	234	Product/Service ID Identifying number for a product or service	X	1	AN 1/48
Not Used	LIN12	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	1	ID 2/2
Not Used	LIN13	234	Product/Service ID Identifying number for a product or service	X	1	AN 1/48
Not Used	LIN14	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	1	ID 2/2
Not Used	LIN15	234	Product/Service ID Identifying number for a product or service	X	1	AN 1/48
Not Used	LIN16	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	1	ID 2/2
Not Used	LIN17	234	Product/Service ID Identifying number for a product or service	X	1	AN 1/48
Not Used	LIN18	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	1	ID 2/2
Not Used	LIN19	234	Product/Service ID Identifying number for a product or service	X	1	AN 1/48
Not Used	LIN20	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	1	ID 2/2
Not Used	LIN21	234	Product/Service ID	X	1	AN 1/48

842A Discrepancy Report

			Identifying number for a product or service			
Not Used	LIN22	235	Product/Service ID Qualifier	X	1	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
Not Used	LIN23	234	Product/Service ID	X	1	AN 1/48
			Identifying number for a product or service			
Not Used	LIN24	235	Product/Service ID Qualifier	X	1	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
Not Used	LIN25	234	Product/Service ID	X	1	AN 1/48
			Identifying number for a product or service			
Not Used	LIN26	235	Product/Service ID Qualifier	X	1	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
Not Used	LIN27	234	Product/Service ID	X	1	AN 1/48
			Identifying number for a product or service			
Not Used	LIN28	235	Product/Service ID Qualifier	X	1	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
Not Used	LIN29	234	Product/Service ID	X	1	AN 1/48
			Identifying number for a product or service			
Not Used	LIN30	235	Product/Service ID Qualifier	X	1	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
Not Used	LIN31	234	Product/Service ID	X	1	AN 1/48
			Identifying number for a product or service			

Segment: **DTM** Date/Time Reference

Position: 0600

Loop: HL Mandatory

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To specify pertinent dates and times

Syntax Notes:

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes:

Notes: *Use multiple repetitions as needed to identify dates associated with the complaint.*

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element Name</u>	
M	DTM01	374 Date/Time Qualifier	M 1 ID 3/3
		Code specifying type of date or time, or both date and time	
		<i>Use any code.</i>	
		Refer to 004030 Data Element Dictionary for acceptable code values.	
Must Use	DTM02	373 Date	X 1 DT 8/8
		Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year	
Not Used	DTM03	337 Time	X 1 TM 4/8
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
Not Used	DTM04	623 Time Code	O 1 ID 2/2
		Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	
Not Used	DTM05	1250 Date Time Period Format Qualifier	X 1 ID 2/3
		Code indicating the date format, time format, or date and time format	
Not Used	DTM06	1251 Date Time Period	X 1 AN 1/35
		Expression of a date, a time, or range of dates, times or dates and times	

Segment: **REF** Reference Identification

Position: 0700

Loop: HL Mandatory

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To specify identifying information

- Syntax Notes:**
- 1 At least one of REF02 or REF03 is required.
 - 2 If either C04003 or C04004 is present, then the other is required.
 - 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.

Notes: *Must use to identify the requisition document number. Use multiple repetitions as needed to identify additional reference numbers associated with a complaint.*

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>	
M	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification <i>Use any code.</i>	M	1 ID 2/3
Must Use	REF02	127	Reference Identification Refer to 004030 Data Element Dictionary for acceptable code values.	X	1 AN 1/50
Not Used	REF03	352	Description A free-form description to clarify the related data elements and their content	X	1 AN 1/80
	REF04	C040	Reference Identifier To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	O	1
M	C04001	128	Reference Identification Qualifier Code qualifying the Reference Identification PSM Credit Card URL Uniform Resource Locator W8 Suffix	M	ID 2/3
M	C04002	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M	AN 1/50
	C04003	128	Reference Identification Qualifier Code qualifying the Reference Identification <i>Use any code.</i>	X	ID 2/3
	C04004	127	Reference Identification Refer to 004030 Data Element Dictionary for acceptable code values.	X	AN 1/50

		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
C04005	128	Reference Identification Qualifier	X	ID 2/3
		Code qualifying the Reference Identification		
		<i>Use any code.</i>		
		Refer to 004030 Data Element Dictionary for acceptable code values.		
C04006	127	Reference Identification	X	AN 1/50
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

Segment: **CS** **Contract Summary**
Position: 0750
Loop: HL Mandatory
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To provide information about a contract
Syntax Notes: 1 If either CS04 or CS05 is present, then the other is required.
Semantic Notes: 1 CS09 is the permissible overage as a percentage of the total contract line item number (CLIN) quantity.
2 CS10 is the permissible shortage as a percentage of the total contract line item number (CLIN) quantity.
3 CS11 is the permissible overage dollar value specified by the contract above which discrepancy action is taken.
4 CS14 is the Unit of Measure stipulated in the contract.
5 CS15 is the contract line item number (CLIN) unit price specified in the contract.
6 CS17 conveys the Critical Application Indicator. A "Y" indicates that a Critical Application Indicator is specified in the contract; an "N" indicates that no Critical Application Indicator is specified in the contract.
7 CS18 conveys the Special Requirements Indicator. A "Y" indicates that a Special Requirements Indicator (requiring special testing and or evaluation) is specified in the contract; an "N" indicates that no Special Requirements Indicator is specified in the contract.

Data Element Summary

Ref.	Data		Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	
CS01	367	Contract Number Contract number	O 1 AN 1/30
Not Used	CS02	327 Change Order Sequence Number Number assigned by the orderer identifying a specific change or revision to a previously transmitted transaction set	O 1 AN 1/8
	CS03	328 Release Number Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction	O 1 AN 1/30
	CS04	128 Reference Identification Qualifier Code qualifying the Reference Identification C7 Contract Line Item Number XY Other Unlisted Type of Reference Number	X 1 ID 2/3
	CS05	127 Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X 1 AN 1/50
Not Used	CS06	324 Purchase Order Number	O 1 AN 1/22

842A Discrepancy Report

			Identifying number for Purchase Order assigned by the orderer/purchaser			
Not Used	CS07	560	Special Services Code	O	1	ID 2/10
			Code identifying the special service			
Not Used	CS08	433	F.O.B. Point Code	O	1	ID 2/2
			Code identifying type of F.O.B. point			
Not Used	CS09	954	Percent	O	1	R 1/10
			Percentage expressed as a decimal			
Not Used	CS10	954	Percent	O	1	R 1/10
			Percentage expressed as a decimal			
Not Used	CS11	782	Monetary Amount	O	1	R 1/18
			Monetary amount			
Not Used	CS12	336	Terms Type Code	O	1	ID 2/2
			Code identifying type of payment terms			
Not Used	CS13	560	Special Services Code	O	1	ID 2/10
			Code identifying the special service			
Not Used	CS14	355	Unit or Basis for Measurement Code	O	1	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
Not Used	CS15	212	Unit Price	O	1	R 1/17
			Price per unit of product, service, commodity, etc.			
Not Used	CS16	336	Terms Type Code	O	1	ID 2/2
			Code identifying type of payment terms			
Not Used	CS17	1073	Yes/No Condition or Response Code	O	1	ID 1/1
			Code indicating a Yes or No condition or response			
Not Used	CS18	1073	Yes/No Condition or Response Code	O	1	ID 1/1
			Code indicating a Yes or No condition or response			

Segment: **PWK** Paperwork
Position: 1020
Loop: HL Mandatory
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To identify the type or transmission or both of paperwork or supporting information
Syntax Notes: 1 If either PWK05 or PWK06 is present, then the other is required.
Semantic Notes:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
M	PWK01	755 Report Type Code	M 1 ID 2/2
		Code indicating the title or contents of a document, report or supporting item	
		<i>Use any code.</i>	
		Refer to 004030 Data Element Dictionary for acceptable code values.	
Not Used	PWK02	756 Report Transmission Code	O 1 ID 1/2
		Code defining timing, transmission method or format by which reports are to be sent	
Not Used	PWK03	757 Report Copies Needed	O 1 N0 1/2
		The number of copies of a report that should be sent to the addressee	
Not Used	PWK04	98 Entity Identifier Code	O 1 ID 2/3
		Code identifying an organizational entity, a physical location, property or an individual	
Not Used	PWK05	66 Identification Code Qualifier	X 1 ID 1/2
		Code designating the system/method of code structure used for Identification Code (67)	
Not Used	PWK06	67 Identification Code	X 1 AN 2/80
		Code identifying a party or other code	
Not Used	PWK07	352 Description	O 1 AN 1/80
		A free-form description to clarify the related data elements and their content	
Not Used	PWK08	C002 Actions Indicated	O 1
		Actions to be performed on the piece of paperwork identified	
Not Used	C00201	704 Paperwork/Report Action Code	M ID 1/2
		Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required	
Not Used	C00202	704 Paperwork/Report Action Code	O ID 1/2
		Code specifying how the paperwork or report that is identified in the PWK	

			segment relates to the transaction set or to identify the action that is required		
Not Used	C00203	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		
Not Used	C00204	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		
Not Used	C00205	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		
Not Used	PWK09	1525	Request Category Code	O	1 ID 1/2
			Code indicating a type of request		

Segment: **LM** Code Source Information
Position: 1040
Loop: LM Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To transmit standard code list identification information
Syntax Notes:
Semantic Notes:
Notes: *Use to identify coded information maintained in department or agency documentation*

Data Element Summary

	Ref.	Data		Attributes
	Des.	Element	Name	
M	LM01	559	Agency Qualifier Code Code identifying the agency assigning the code values DF Department of Defense (DoD)	M 1 ID 2/2
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by the Source Qualifier	O 1 AN 1/15

Segment: **LQ** Industry Code
Position: 1050
Loop: LM Optional
Level: Detail
Usage: Mandatory
Max Use: >1
Purpose: Code to transmit standard industry codes
Syntax Notes: 1 If LQ01 is present, then LQ02 is required.
Semantic Notes:

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	LQ01	1270 Code List Qualifier Code Code identifying a specific industry code list <i>Use any code.</i> Refer to 004030 Data Element Dictionary for acceptable code values.	O 1 ID 1/3
Must Use	LQ02	1271 Industry Code Code indicating a code from a specific industry code list	X 1 AN 1/30

Segment:	NCD Nonconformance Description
Position:	2300
Loop:	NCD Optional
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To describe the nonconformance condition
Syntax Notes:	1 At least one of NCD01 or NCD02 is required.
Semantic Notes:	
Notes:	<i>Use to reflect information related to the nonconformance condition and identify related organizations.</i>

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Not Used	NCD01	936 Measurement Attribute Code Code used to express an attribute response when a numeric measurement value cannot be determined	X 1 ID 2/2
Must Use	NCD02	888 Nonconformance Determination Code Code indicating whether a nonconforming condition was the reason for submitting or the basis upon which a nonconformance report is initiated 5 Discrepant	X 1 ID 1/1
Must Use	NCD03	350 Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O 1 AN 1/20
Not Used	NCD04	750 Product/Process Characteristic Code Code identifying the general class of a product or process characteristic	O 1 ID 2/3
Not Used	NCD05	559 Agency Qualifier Code Code identifying the agency assigning the code values	O 1 ID 2/2
Not Used	NCD06	751 Product Description Code A code from an industry code list which provides specific data about a product characteristic	O 1 AN 1/12
Not Used	NCD07	352 Description A free-form description to clarify the related data elements and their content	O 1 AN 1/80

Segment: **NTE** Note/Special Instruction
Position: 2400
Loop: NCD Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Syntax Notes:
Semantic Notes:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	NTE01	363 Note Reference Code	O 1 ID 3/3
		Code identifying the functional area or purpose for which the note applies	
		<i>Use any code.</i>	
		Refer to 004030 Data Element Dictionary for acceptable code values.	
M	NTE02	352 Description	M 1 AN 1/80
		A free-form description to clarify the related data elements and their content	

Segment: **REF** **Reference Identification**
Position: 2600
Loop: NCD Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes: 1 At least one of REF02 or REF03 is required.
 2 If either C04003 or C04004 is present, then the other is required.
 3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification <i>Use any code.</i>	M 1 ID 2/3
Must Use	REF02	127	Reference Identification Refer to 004030 Data Element Dictionary for acceptable code values.	X 1 AN 1/50
	REF03	352	Description A free-form description to clarify the related data elements and their content	X 1 AN 1/80
	REF04	C040	Reference Identifier To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	O 1
M	C04001	128	Reference Identification Qualifier Code qualifying the Reference Identification ZM Manufacturer Number	M ID 2/3
M	C04002	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M AN 1/50
Not Used	C04003	128	Reference Identification Qualifier Code qualifying the Reference Identification	X ID 2/3
Not Used	C04004	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/50
Not Used	C04005	128	Reference Identification Qualifier Code qualifying the Reference Identification	X ID 2/3
Not Used	C04006	127	Reference Identification	X AN 1/50

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Segment: **QTY** Quantity
Position: 2700
Loop: NCD Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify quantity information
Syntax Notes: 1 At least one of QTY02 or QTY04 is required.
2 Only one of QTY02 or QTY04 may be present.
Semantic Notes: 1 QTY04 is used when the quantity is non-numeric.
Notes: *Use to identify the discrepant/deficient quantity. Use multiple repetitions as needed to identify additional quantities associated with the complaint.*

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element Name</u>	
M	QTY01	673 Quantity Qualifier Code specifying the type of quantity <i>Use any code.</i> Refer to 004030 Data Element Dictionary for acceptable code values.	M 1 ID 2/2
Must Use	QTY02	380 Quantity Numeric value of quantity	X 1 R 1/15
	QTY03	C001 Composite Unit of Measure To identify a composite unit of measure (See Figures Appendix for examples of use)	O 1
M	C00101	355 Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken <i>Use to identify the discrepant/deficient quantity. Use multiple repetitions as needed to identify additional quantities associated with the complaint</i> Refer to 004030 Data Element Dictionary for acceptable code values.	M ID 2/2
Not Used	C00102	1018 Exponent Power to which a unit is raised	O R 1/15
Not Used	C00103	649 Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00104	355 Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2
Not Used	C00105	1018 Exponent Power to which a unit is raised	O R 1/15
Not Used	C00106	649 Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10

Not Used	C00107	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O	ID 2/2
Not Used	C00108	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00109	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00110	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O	ID 2/2
Not Used	C00111	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00112	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00113	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O	ID 2/2
Not Used	C00114	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00115	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	QTY04	61	Free-Form Message Free-form information	X	1 AN 1/30

Segment: **AMT** Monetary Amount
Position: 2730
Loop: NCD Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To indicate the total monetary amount
Syntax Notes:
Semantic Notes:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element Name</u>	
M	AMT01	522 Amount Qualifier Code Code to qualify amount <i>Use any code.</i> Refer to 004030 Data Element Dictionary for acceptable code values.	M 1 ID 1/3
M	AMT02	782 Monetary Amount Monetary amount <i>Dollar values may be expressed in whole dollars (with no decimal) or in dollar and cents (with a decimal included).</i>	M 1 R 1/18
Not Used	AMT03	478 Credit/Debit Flag Code Code indicating whether amount is a credit or debit	O 1 ID 1/1

Segment: **N1** Name
Position: 2800
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:

Data Element Summary

	Ref.	Data		Attributes
		Des.	Element Name	
M	N101	98	Entity Identifier Code	M 1 ID 2/3
			Code identifying an organizational entity, a physical location, property or an individual	
			<i>Use any code.</i>	
			Refer to 004030 Data Element Dictionary for acceptable code values.	
	N102	93	Name	X 1 AN 1/60
			Free-form name	
	N103	66	Identification Code Qualifier	X 1 ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)	
		10	Department of Defense Activity Address Code (DODAAC)	
		33	Commercial and Government Entity (CAGE)	
		A2	Military Assistance Program Address Code (MAPAC)	
		M4	Department of Defense Routing Identifier Code (RIC)	
	N104	67	Identification Code	X 1 AN 2/80
			Code identifying a party or other code	
Not Used	N105	706	Entity Relationship Code	O 1 ID 2/2
			Code describing entity relationship	
Not Used	N106	98	Entity Identifier Code	O 1 ID 2/3
			Code identifying an organizational entity, a physical location, property or an individual	

Segment: **N2 Additional Name Information**
Position: 2900
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify additional names
Syntax Notes:
Semantic Notes:

Data Element Summary

	Ref.	Data		Attributes
	Des.	Element	Name	
M	N201	93	Name Free-form name	M 1 AN 1/60
	N202	93	Name Free-form name	O 1 AN 1/60

Segment: **N3** Address Information
Position: 3000
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:

Data Element Summary

	Ref.	Data		Attributes
	Des.	Element	Name	
M	N301	166	Address Information Address information	M 1 AN 1/55
Not Used	N302	166	Address Information Address information	O 1 AN 1/55

Segment: **N4 Geographic Location**
Position: 3100
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes:

- 1 Only one of N402 or N407 may be present.
- 2 If N406 is present, then N405 is required.
- 3 If N407 is present, then N404 is required.

Semantic Notes:**Data Element Summary**

Ref.	Data				<u>Attributes</u>
<u>Des.</u>	<u>Element</u>	<u>Name</u>			
N401	19	City Name			O 1 AN 2/30
		Free-form text for city name			
N402	156	State or Province Code			X 1 ID 2/2
		Code (Standard State/Province) as defined by appropriate government agency			
N403	116	Postal Code			O 1 ID 3/15
		Code defining international postal zone code excluding punctuation and blanks (zip code for United States)			
Not Used	N404	26	Country Code		X 1 ID 2/3
		Code identifying the country			
Not Used	N405	309	Location Qualifier		X 1 ID 1/2
		Code identifying type of location			
Not Used	N406	310	Location Identifier		O 1 AN 1/30
		Code which identifies a specific location			
Not Used	N407	1715	Country Subdivision Code		X 1 ID 1/3
		Code identifying the country subdivision			

Segment: **PER Administrative Communications Contact**
Position: 3300
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax Notes:**
- 1 If either PER03 or PER04 is present, then the other is required.
 - 2 If either PER05 or PER06 is present, then the other is required.
 - 3 If either PER07 or PER08 is present, then the other is required.

Semantic Notes:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named CB Changed By IC Information Contact PU Report Preparer RQ Requestor	M 1 ID 2/2
Must Use	PER02	93	Name Free-form name	O 1 AN 1/60
Must Use	PER03	365	Communication Number Qualifier Code identifying the type of communication number AU Defense Switched Network EM Electronic Mail FX Facsimile TE Telephone WF Work Facsimile Number	X 1 ID 2/2
Must Use	PER04	364	Communication Number Complete communications number including country or area code when applicable	X 1 AN 1/256
	PER05	365	Communication Number Qualifier Code identifying the type of communication number AU Defense Switched Network EM Electronic Mail FX Facsimile TE Telephone WF Work Facsimile Number	X 1 ID 2/2

PER06	364	Communication Number	X	1	AN 1/256
		Complete communications number including country or area code when applicable			
PER07	365	Communication Number Qualifier	X	1	ID 2/2
		Code identifying the type of communication number			
		AU	Defense Switched Network		
		EM	Electronic Mail		
		FX	Facsimile		
		TE	Telephone		
		WF	Work Facsimile Number		
PER08	364	Communication Number	X	1	AN 1/256
		Complete communications number including country or area code when applicable			
PER09	443	Contact Inquiry Reference	O	1	AN 1/20
		Additional reference number or description to clarify a contact number			
		<i>Use as needed to identify the office symbol or activity code for the party identified.</i>			

Segment: **LM** Code Source Information
Position: 3330
Loop: LM Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To transmit standard code list identification information
Syntax Notes:
Semantic Notes:
Notes: *Use to identify agency unique coded data related to the characteristics and coding requirements for the nonconformance condition.*

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u>		<u>Attributes</u>
		<u>Element</u>	<u>Name</u>	
M	LM01	559	Agency Qualifier Code Code identifying the agency assigning the code values DF Department of Defense (DoD)	M 1 ID 2/2
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by the Source Qualifier	O 1 AN 1/15

Segment: **LQ** Industry Code
Position: 3340
Loop: LM Optional
Level: Detail
Usage: Mandatory
Max Use: >1
Purpose: Code to transmit standard industry codes
Syntax Notes: 1 If LQ01 is present, then LQ02 is required.
Semantic Notes:

Data Element Summary

	Ref.	Data		Attributes
	Des.	Element	Name	
Must Use	LQ01	1270	Code List Qualifier Code	O 1 ID 1/3
			Code identifying a specific industry code list	
			<i>Use any code,</i>	
			Refer to 004030 Data Element Dictionary for acceptable code values.	
Must Use	LQ02	1271	Industry Code	X 1 AN 1/30
			Code indicating a code from a specific industry code list	

Segment: **NCA** Nonconformance Action
Position: 3400
Loop: NCA Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify the action that is to be taken in response to a nonconformance condition
Syntax Notes: 1 At least one of NCA02 or NCA03 is required.
2 If either NCA04 or NCA05 is present, then the other is required.
Semantic Notes: 1 NCA03 describes the action that is to be undertaken.
Notes: *Use to reflect information related to the disposition or actions taken in response to the nonconformance condition.*

Data Element Summary

	Ref.	Data	Attributes					
			Des.	Element	Name			
Not Used	NCA01	350	Assigned Identification	O	1	AN 1/20		
			Alphanumeric characters assigned for differentiation within a transaction set					
	NCA02	887	Nonconformance Resultant Response Code	X	1	ID 1/2		
			Code identifying a response that is the result of a nonconformance situation					
			RS Response Requirements Follow					
Not Used	NCA03	352	Description	X	1	AN 1/80		
			A free-form description to clarify the related data elements and their content					
Not Used	NCA04	380	Quantity	X	1	R 1/15		
			Numeric value of quantity					
Not Used	NCA05	C001	Composite Unit of Measure	X	1			
			To identify a composite unit of measure (See Figures Appendix for examples of use)					
Not Used	C00101	355	Unit or Basis for Measurement Code	M		ID 2/2		
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
Not Used	C00102	1018	Exponent	O		R 1/15		
			Power to which a unit is raised					
Not Used	C00103	649	Multiplier	O		R 1/10		
			Value to be used as a multiplier to obtain a new value					
Not Used	C00104	355	Unit or Basis for Measurement Code	O		ID 2/2		
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
Not Used	C00105	1018	Exponent	O		R 1/15		
			Power to which a unit is raised					

842A Discrepancy Report

Not Used	C00106	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00107	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O	ID 2/2
Not Used	C00108	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00109	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00110	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O	ID 2/2
Not Used	C00111	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00112	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00113	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O	ID 2/2
Not Used	C00114	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00115	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10

Segment: **NTE** Note/Special Instruction
Position: 3500
Loop: NCA Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Syntax Notes:
Semantic Notes:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
NTE01	363	Note Reference Code		O 1 ID 3/3
			Code identifying the functional area or purpose for which the note applies	
			DOI Outcome Description	
			ORE Other Remedial Action	
M	NTE02	352	Description	M 1 AN 1/80
			A free-form description to clarify the related data elements and their content	

Segment: **REF** Reference Identification

Position: 3700

Loop: NCA Optional

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To specify identifying information

- Syntax Notes:**
- 1 At least one of REF02 or REF03 is required.
 - 2 If either C04003 or C04004 is present, then the other is required.
 - 3 If either C04005 or C04006 is present, then the other is required.

- Semantic Notes:**
- 1 REF04 contains data relating to the value cited in REF02.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>	
M	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification <i>Use any code.</i>	M	1 ID 2/3
Must Use	REF02	127	Reference Identification Refer to 004030 Data Element Dictionary for acceptable code values.	X	1 AN 1/50
	REF03	352	Description A free-form description to clarify the related data elements and their content	X	1 AN 1/80
Not Used	REF04	C040	Reference Identifier To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	O	1
Not Used	C04001	128	Reference Identification Qualifier Code qualifying the Reference Identification	M	ID 2/3
Not Used	C04002	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M	AN 1/50
Not Used	C04003	128	Reference Identification Qualifier Code qualifying the Reference Identification	X	ID 2/3
Not Used	C04004	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN 1/50
Not Used	C04005	128	Reference Identification Qualifier Code qualifying the Reference Identification	X	ID 2/3
Not Used	C04006	127	Reference Identification Reference information as defined for a particular Transaction Set or as	X	AN 1/50

specified by the Reference Identification Qualifier

Segment: **LM** Code Source Information
Position: 4640
Loop: LM Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To transmit standard code list identification information
Syntax Notes:
Semantic Notes:
Notes:

Use to identify agency unique code data related to the characteristics and coding requirements for the disposition and actions resulting from the nonconformance condition.

Data Element Summary

	Ref. Des.	Data		<u>Attributes</u>		
		<u>Element</u>	<u>Name</u>			
M	LM01	559	Agency Qualifier Code Code identifying the agency assigning the code values DF Department of Defense (DoD)	M	1	ID 2/2
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by the Source Qualifier	O	1	AN 1/15

Segment: **LQ** Industry Code
Position: 4650
Loop: LM Optional
Level: Detail
Usage: Mandatory
Max Use: >1
Purpose: Code to transmit standard industry codes
Syntax Notes: 1 If LQ01 is present, then LQ02 is required.
Semantic Notes:

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	LQ01	1270 Code List Qualifier Code Code identifying a specific industry code list <i>Use any code.</i> Refer to 004030 Data Element Dictionary for acceptable code values.	O 1 ID 1/3
Must Use	LQ02	1271 Industry Code Code indicating a code from a specific industry code list	X 1 AN 1/30

Segment: **SE** Transaction Set Trailer
Position: 4700
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:
Semantic Notes:

Data Element Summary

	Ref.	Data		
	Des.	Element	Name	Attributes
M	SE01	96	Number of Included Segments	M 1 N0 1/10
			Total number of segments included in a transaction set including ST and SE segments	
M	SE02	329	Transaction Set Control Number	M 1 AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	
			<i>Cite the same number as the one cited in ST02.</i>	